



FIG. 1A







FIG. 1B






Serial No.:  
Art Unit:

09/337,619  
1631

3/19

FIG. 1C






Serial No.  
Art Unit:

09/337,619  
1631

4/19

FIG. 2





10/01/02

Serial No.:


09/337,619

Art Unit:

1631

5/19

FIG. 3






Serial No.:  
Art Unit:

09/337,619  
1631

6/19


FIG. 4A





7/19

FIG. 4B






Serial No.:  
Art Unit:

09/337,619  
1631

8/19

FIG. 5








Serial No.:  
Art Unit:

09/337,619  
1631

9/19

FIG. 6





10/01/02

Serial No.:

09/337,619


Art Unit:

1631

10/19

**FIG. 7**

TREATMENT	0	EC DNA		CT DNA		LPS	
MIN.	0	15	30	15	30	15	30








Serial No.:  
Art Unit:

09/337,619  
1631

11/19



FIG. 8A



PANEL A

PANEL B

PANEL C



PANEL D

PANEL E





Serial No.:  
Art Unit:

09/337,619  
1631

12/19

FIG. 8B






Serial No.:  
Art Unit:

09/337,619  
1631

13/19

**FIG. 9**






Serial No.:  
Art Unit:

09/337,619  
1631

14/19

FIG. 10






Serial No.:  
Art Unit:

09/337,619  
1631

15/19

FIG. 11






Serial No.:  
Art Unit:

09/337,619  
1631

16/19

FIG. 12








17/19

**FIG. 13**






Serial No.:  
Art Unit:

09/337,619  
1631

18/19

**FIG. 14**





Serial No.:  
Art Unit:

09/337,619  
1631

19/19

FIG. 15

